EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2838	archival and archiving	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 15:28
L2	190	1 and format$4 near6 (data and archiv$4 and storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 15:29
L3	57	2 and (compress$6 and (uncompress$6 or un-compress$6 or decompress$6 or de-compress$6)) near6 (format$4 or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 15:31
L4	37	3 and (@AD <= "20010809" or @RLAD <= "20010809")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 15:32
L5	31	4 and (compress$6 or archiv$6) adj3 format$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 15:35
L6	29	4 and (compress$6 and archiv$6) adj3 format$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 15:35
L7	28	4 and (compressed and (archiving or archival or archived)) adj3 format$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 15:37
L8	0	7 and (uncompressed and (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 15:38

L9	0	7 and (uncompress$6 and (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 15:39
L10	7	7 and (uncompress$6 or (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 15:39
L11	0	2 and (compressed and (archiving or archival or archived)) and (uncompress and (nonarchiv$6 or non-archiv$6 or unarchiv $6 or un-archiv$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 15:41
L12	4	2 and (compressed and (archiving or archival or archived)) same (uncompress or (nonarchiv$6 or non-archiv$6 or unarchiv $6 or un-archiv$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 15:41
L13	7	2 and (compressed and (archiving or archival or archived)) and (uncompress or (nonarchiv$6 or non-archiv$6 or unarchiv $6 or un-archiv$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 15:44
L14	145	1 and format$4 near4 (data and archiv$4 and storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 15:44
L15	7	14 and (compressed or (archiving or archival or archived)) same (uncompress or (nonarchiv$6 or non-archiv$6 or unarchiv $6 or un-archiv$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 15:45
L16	1101	(compressed or (archiving or archival or archived)) same (uncompress or (nonarchiv$6 or non-archiv$6 or unarchiv $6 or un-archiv$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 15:47

L17	716	(compressed or (archiving or archival or archived)) with (uncompress or (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 15:47
L18	2	17 and (((file adj system) or (file adj directory)) and archiv$6) same routines!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 15:48
L19	17	(((file adj system) or (file adj directory)) and archiv$6) same routines!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 15:49
L20	2	19 and (compressed or (archiving or archival or archived)) with (uncompress or (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 15:50
L21	2	19 and (compressed or (archiving or archival or archived)) and (uncompress or (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6)) and format$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 15:51
L22	14	19 and (@AD <= "20010809" or @RLAD <= "20010809")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 15:51
L23	53	(((file adj system) or (file adj directory)) and archiv$6) same routine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 15:55
L24	35	23 and (@AD <= "20010809" or @RLAD <= "20010809")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 15:56

L25	2	24 and (compressed or (archiving or archival or archived)) and (uncompress or (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6)) and format$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 15:56
L26	2	24 and (compressed or (archiving or archival or archived)) and (uncompress or (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 15:56
L27	12464	(((compress$3 or archiv$3) and (uncompress or un-compress$3 or noncompress$3 or non-compress$3 or decompress$3 or de-compress$3 or nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6 or dearchiv$3 or de-archiv$3)) same (software or program or routine or (program adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 16:06
L28	11205	(((compress$3 or archiv$3) same (uncompress or un-compress$3 or noncompress$3 or non-compress$3 or decompress$3 or de-compress$3 or nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6 or dearchiv$3 or de-archiv$3)) same (software or program or routine or (program adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 16:07
L29	6377	28 and (@AD <= "20010809" or @RLAD <= "20010809")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 16:07

L30	43	29 and format$4 near6 (data and archiv$4 and storage and compress$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 16:07
L31	19	30 and (((file adj system) or (file adj directory)) and archiv $6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 16:18
L32	42	((compress$3 and (uncompress or un-compress$3 or noncompress$3 or non-compress$3 or decompress$3 or de-compress$3)) and (archiv$3 and (nonarchiv$6 or non-archiv$6 or unarchiv $6 or un-archiv$6 or dearchiv$3 or de-archiv$3))) same (software or program or routine or (program adj code) or application or operation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 16:22
L33	2	32 and (@AD <= "20010809" or @RLAD <= "20010809")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 16:22
L34	68	((compress$3 and (uncompress or un-compress$3 or noncompress$3 or non-compress$3 or decompress$3 or de-compress$3)) and (archiv$3 and (nonarchiv$6 or non-archiv$6 or unarchiv $6 or un-archiv$6 or dearchiv$3 or de-archiv$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 16:24
L35	11	34 and (@AD <= "20010809" or @RLAD <= "20010809")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 16:24

L36	65832	(((compress$3 same (uncompress or un-compress$3 or noncompress$3 or non-compress$3 or decompress$3 or de-compress$3)) or (archiv$3 same (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6 or dearchiv$3 or de-archiv$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 16:28
L37	12372	36 and (((compress$3 same (uncompress or un-compress$3 or noncompress$3 or non-compress$3 or decompress$3 or de-compress$3)) or (archiv$3 same (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6 or dearchiv$3 or de-archiv$3)))) same (routine or softare or program or codes! or module or utility)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 16:29
L38	15331	36 and (((compress$3 same (uncompress or un-compress$3 or noncompress$3 or non-compress$3 or decompress$3 or de-compress$3)) or (archiv$3 same (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6 or dearchiv$3 or de-archiv$3)))) same (routine or software or program or codes! or module or utility)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 16:29
L39	8523	38 and (@AD <= "20010809" or @RLAD <= "20010809")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 16:29

| L40 | 41 | 39 and format$4 near4 (data and archiv$4 and storage and compress$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 16:30 |
| L41 | 3 | 40 and (((file adj system) or (file adj directory)) same archiv$6) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 16:31 |

6/29/08 4:36:01 PM
C:\ Documents and Settings\ aly\ My Documents\ EAST\ Workspaces\ LY.wsp